hanging textile Suit 101787 🔌



Suit 101787

The classic and rich herringbone texture combined with mélange yarns gives Suit a personality all of its own. The colour range with 27 options, is powered by the elements. Inspiration comes from dry and bristly grass next to white sand by a windy beach. Dark rocks meeting a frothy sea and shades of warm sunset light. Technically, Suit is a dimout that provides a superior acoustics alfa value of 0.95 and light exclusion above 99% and the flexibility which comes with 3 metre width. Suit meets IMO flame retardant standard and is Oekotex certified.

We thought you'd like...

- the textured textile herringbone surface and feel
- the broad, contemporary colour palette and 3 metres width
- the superior acoustic properties





↓ Warp direction

0085	0084	0080	0065	0056
0058	0052	0059	0095	0032
0033	0028	0023	0025	0029
0070	0078	0071	0041	0014
0010	0019	0096	0069	0034













hanging textile Suit 101787

Product Specification

Design	Almedahls Design Studio		
Material	100% Polyester FR		
Light transmission	Dimout		
Repeat	-		
Width	300 cm, 118 inch		
Weight	360 g/m², 10,62 oz/yd²		
Light fastness SS-EN ISO 105-B02 (scale 1-8)	5		
Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5)	4		
Shrinkage SS-EN ISO 6330+A1	<2%		
Care instructions	☞ ゐ X X X Can be washed in 70°C		
Fire resistance standard	IMO part 7 🏶		
Sound Class SS-EN ISO 354	A		
Alfa Value	0,95		
Ökotex	Yes		
Certificates	SS-EN ISO 14001:2004		
Other info	Hanging fabric in warp direction with using lead weigt which has minimum 50g/m is recommended. Can be used railroaded to create a 3 m drop. Please note the appearance will change depends on which direction fabric hung with.		

