




Uni 100204

Uni has a smooth and even surface with a subtle, shiny lustre. The fabric has a soft and heavy drape. Apart from the excellent dim-out function, the fabric also have a good sound absorption value- sound class C. Uni comes in a useful selection of neutrals and a wide choice of lively colours from lighter tones to deep and saturated shades.

We thought you'd like...

- the smooth surface and heavy drape
- the good sound absorption properties
- the wide and versatile colour range



0085




0086



0886



0448



0061




0056




0555




0055




0009



0444



0047



0414




0665




0667




0110




0011




0779




0029




0334



0330










0332



0322

Product Specification

| | |
|--|--|
| Design | Almedahls Design Studio |
| Material | 100% Polyester FR |
| Light transmission | Dimout |
| Repeat | - |
| Width | 150 cm, 59 inch |
| Weight | 260 g/m ² , 7,7 oz/yd ² |
| Light fastness SS-EN ISO 105-B02 (scale 1-8) | 5-6 |
| Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5) | 4-5 |
| Shrinkage SS-EN ISO 6330+A1 | <2% |
| Care instructions |      Can be washed in 70°C |
| Fire resistance standard | B1, M1, IMO part 7  |
| Sound Class SS-EN ISO 354 | C |
| Alfa Value | 0,65 |
| Ökotex | Yes  |
| Certificates | SS-EN ISO 14001:2004 |
| Other info | The turnable fabric provides possibility to create a valence. |