



anaNea
rethinking synthetics

hanging textile CircleEase 101880 



Circle Ease 101880-0008

Circle is a sustainable fabric concept made of fully circular copolyester, with Ocean Safe technology certified with Cradle to Cradle Gold. The benefits in short is that it is free of toxins and biodegradable, and leaves no microplastics behind. The manufacturing of the Circle fibre requires significantly fewer steps, less energy and less water consumption. At end of life the fabrics will be composted and recycled into new fibres through an established take back system.

CircleEase in an airy sheer with a breezy movement. A modest plain with a matte, milky surface. The gentle, light filtering properties creates a relaxed atmosphere transmitting and elevating the incoming light in a beautiful way. The fabric is piece dyed making it uniform in colour and bringing an unpretentious, minimalistic expression. The pared back colour palette has taken inspiration from the elements; the sky, water, sand and rock. It is flexible and easy to adapt to most environments both in front of a window and as a light room divider subtly diffusing the surroundings.

almedahls

www.almedahls.se



naNea
rethinking synthetics

hanging textile CircleEase 101880 




0008




0061




0035



0021



0051



0059








The Circle concept. The soft and fluid sheer CircleEase is perfectly complemented by the light drapery CircleRest with its refined texture.

almedahls

www.almedahls.se



Product Specification

Design	Almedahls Design Studio
Material	100% naNea
Light transmission	Transparent
Openess factor	12%
Repeat	-
Width	300cm, 118 inch
Weight	70 g/m ² , 2 oz/yd ²
Light fastness SS-EN ISO 105-B02 (scale 1-8)	5 - 6
Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5)	4 - 5
Shrinkage SS-EN ISO 6330+A1	< 2%
Care instructions	     Can be washed in 70°C
Fire resistance standard	DIN 4102-B1
Sound Class SS-EN ISO 354	E
Alfa Value	0,2
Sustainability profile	Ocean Safe Certified Cradle to Cradle Gold Five Zero Green Biodegradable fibre SS-EN ISO 14001:2004
Other info	Can be used railroaded to create a 2,75 m drop