




Twist 100220


Twist is inspired by basket textures and braiding. The use of two different yarn types in the warp and yet another yarn with a contrasting colour in the weft which creates a lively surface and a contemporary look. The rich colour range with tones picked from the whole spectrum is inspired by the soft hues of nature. This functional and washable multi-purpose fabric is easy to place in any environment.

We thought you'd like...


- the rich colour palette
- the easy washable Trevira CS material
- the intriguing texture




0068




0005




0066




0034




0033




0003




0036




0026




0032




0002




0025




0029




0004




0006



0046




0041




0043



0014










0007



0071

Product Specification

| | |
|--|---|
| Design | Almedahls Design Studio |
| Material | 100% Polyester Trevira CS |
| Width | 140 cm, 55 inch |
| Weight | 435 g/m ² , 12,8 oz/yd ² |
| Abrasion resistance SS-EN ISO 12947-2 | >50000 Martindale |
| Pilling SS-EN ISO 12945-2 (scale 1-5) | 4 - 5 |
| Seam slippage SS-EN ISO 13936-2 | 2 mm |
| Light fastness SS-EN ISO 105-B02 (scale 1-8) | 5 - 6 |
| Colour fastness to rubbing SS-EN ISO 105-X12 (scale 1-5) | Dry 4 - 5 Wet 4 - 5 |
| Colour fastness to laundering SS-EN ISO 105-C06 (scale 1-5) | 4 - 5 |
| Colour fastness to water spotting SS-EN ISO 105-E16 (scale 1-5) | 4 - 5 |
| Colour fastness to perspiration SS-EN ISO 105-E04 (scale 1-5) | 4 - 5 |
| Shrinkage SS-EN ISO 6330+A1 SS-EN ISO 3175-1+2 |  Warp 1% Weft 4,5%  Warp 0,5% Weft 2% |
| Care instructions |      |
| Fire resistance standard | SS-EN 1021-1:2014 DIN 4102-B1 NFP 92-504 M1 |
| ÖkoTex | No |
| Certificates | SS-EN ISO 14001:2004 |