SUIT 101787





almedahls

SUIT 101787

The classic and rich herringbone texture combined with mélange yarns gives SUIT a personality all of its own. The colour scale, with 27 options, is inspired by the elements: dry, bristly grass next to white sand on a windy beach; dark rocks meeting a frothy sea; and shades of warm sunset light. Technically, SUIT is a dimout that provides superior acoustic performance with an alpha value of 0.95, light exclusion above 99%, and the flexibility offered by its 3-metre width. SUIT complies with most FR standards, including IMO, and is Oekotex certified.

The textured herringbone surface, combined with the broad, contemporary colour scale and 3-metre width, along with its outstanding acoustic performance with an alpha value of 0.95, make SUIT an excellent choice for various settings.

PRODUCT INFORMATION

Design and Material

Design: Studio AlmedahlsMaterial: 100% Polyester FRWidth: 300 cm (118.11 inch)Weight: 360 g/m² (10,62 oz/yd²)

Number of colours: 27

Pattern Features

Repeat:

Turnable design: Yes

Light Properties

Openness factor: 0%

Solar value average: Rs + As = 100

Light transmission: Dimout

PERFORMANCE

Colour Fastness

Light fastness: (ISO 105-B02, scale 1-8) 5
Colour fastness to laundering: 4

(ISO 105-C06, scale 1-5)

Acoustics

Sound class: SS-EN ISO 354
Alpha value: 0,95

Flame Retardant Standard

BS 5867 Part 2B IMO FTP Code 2010 Page 1881

IMO FTP Code 2010 Part 7 NFPA 701 1+2, Classe Uno NFP 92-503/504/505/507-M1

DIN 4102 (B1) EN 13773 class 1





WASHING INSTRUCTIONS

Wash with similar colours Can be washed at 70°C

Shrinkage: SS-EN ISO 6330+A1 < 2%

SUSTAINABILITY

OEKO-TEX® STANDARD 100 Five Zero Green SS-EN ISO 14001:2004 REACH

OTHER INFO

Hanging fabric in warp direction with using lead weigt which has minimum 50g/m is recommended.

Can be used railroaded to create a 3 m drop. Please note the appearance will change depends on which direction fabric hung with.









Colour



almedahls