

**UNI 100132** (300 cm width)



**almedahls**

# UNI 100132 (300 cm width)

UNI has a smooth and even surface with a subtle, shiny lustre. The fabric has a soft and heavy drape. The width of the fabric offers the possibility of using it railroaded to create seamless hanging in large windows. Apart from the excellent dimout function, the fabric also has good sound absorption properties, classified as sound class C. UNI comes in a useful selection of versatile neutrals, along with two additional colours: a dark blue and a classic red.

The fabric's smooth surface, heavy drape, excellent sound absorption properties, and its 3 m width, which is perfect for seamless hanging in large windows, make UNI a versatile and functional choice for various interiors.

## PRODUCT INFORMATION

### Design and Material

Design: Studio Almedahls  
Material: 100% Polyester FR  
Width: 300 cm (118.11 inch)  
Weight: 260 g/m<sup>2</sup> (7,67 oz/yd<sup>2</sup>)  
Number of colours: 9

### Pattern Features

Repeat: -  
Turnable design: Yes

### Light Properties

Openness factor: 0%  
Solar value average: Rs + As = 100  
Light transmission: Dimout

## PERFORMANCE

### Colour Fastness

Light fastness:  
(ISO 105-B02, scale 1-8) 5-6  
Colour fastness to  
laundering:  
(ISO 105-C06, scale 1-5) 4-5

### Acoustics

Sound class:  
SS-EN ISO 354 C  
Alpha value: 0,65

### Flame Retardant Standard

IMO 2010 FTP Code part 7  
NFP 92-503/504/505/507-M1  
DIN 4102 (B1)



## WASHING INSTRUCTIONS



Wash with similar colours  
Can be washed at 70°C  
Shrinkage:  
SS-EN ISO 6330+A1 < 2%

## SUSTAINABILITY

OEKO-TEX® STANDARD 100  
Five Zero Green  
SS-EN ISO 14001:2004  
REACH

## OTHER INFO

Turnable fabric.  
Can be used railroaded for seamless hanging.



FIVE ZERO GREEN



STANDARD 100



0 97-059  
RISE



UNI 100132

**almedahls**



# Colour



0085



0886



0448




0665



0667




0056



0009



0029



0011