


OUR NEW HANGING TEXTILES TILT AND NOTE CONTRIBUTE WITH A DYNAMIC ENERGY TO THE ROOM.

<u>TILT'S</u> DIAGONALS SUGGEST A PERSPECTIVE BY ADDING DEPTH THAT TAKES THE EYE ON A VISUAL JOURNEY. THE FOLDING ENGAGES THE DIAGONALS TO PORTRAIT AN ILLUSION OF MOVEMENT AND TO CREATE COMPELLING PATTERNS.

<u>NOTE'S</u> SHIMMERING & GRADIENT EFFECT ADDS DEPTH TO THE ROOM WITH SOFT TRANSITIONS OF HUES. ELEVATING THE MOOD AND GIVING AN ENERGETIC IMPRESSION WITH A SURFACE THAT IS VISUALLY APPEALING AND SOPHISTICATED.











<u>TILT</u> COMES IN TWELVE COLOURS INCLUDING MUTED PASTELS, DARK MORE INTENSE HUES AND VERSATILE NEUTRALS. The two-toned stripe effect, created by blending three different yarn colours, makes each colourway easy to match with the other colours within the <u>TILT</u>



palette and with other elements in the interior. Although the shades are soft and muted the fabric is still carrying a strong attitude.








NOTE SHIFTS EXPRESSION DEPENDING ON THE LIGHT CONDITIONS. The seethrough net texture is a crossweave of twisting threads. A two coloured effect yarn in weft displays a gradient effect and a shimmering surface.



THE COLOUR PALETTE is characterized by a sophisticated Nordic elegance, a composition of neutrals, soft pastels, and an intense blue and a deep forest green for contrast.







Design Almedahls Design Studio 100% Polyester Trevira CS Material **Light transmission** Transparent 0,30 Alfa value Sound Class SS-EN ISO 354 NFP 92-503/504/505/507-M1 DIN 4102-B1 EN 13773 Fire resistance standard BS 5867 Part 2C NFPA 701:2010 Classe Uno

310 cm, 122 inch

 205 g/m^2 , 6 oz/yd^2

Yes

Oeko-tex

Five Zero Green

SS-EN ISO 14001:2004

Width

Weight

Turnable design

Sustainability profile

TILT 101901



Design Almedahls Design Studio 100% Polyester Trevira CS Material **Light transmission** Transparent 0,10 Alfa value Sound Class SS-EN ISO 354 NFP 92-503/504/505/507-M1 DIN 4102-B1 EN 13773 Fire resistance standard BS 5867 Part 2C NFPA 701:2010 Classe Uno Width 312 cm, 122 inch Weight 75 g/m^2 , 2,2 oz/yd² Turnable design Yes Oeko-tex Sustainability profile Five Zero Green SS-EN ISO 14001:2004

NOTE 101900



Almedahls AB

Box 265 SE-51123 Kinna, Sweden Tel +46 (0)320 79 40 00

info@almedahls.se www.almedahls.se